

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definit on
1	BRS	3	driver with circuit\$2 with current with measurement\$1 and integrated with circuit and impedance with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:26		
2	IS&R	2	("5121075").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:25		
3	IS&R	2	("3573644").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:25		
4	BRS	94	current with measurement\$1 and integrated with circuit and impedance with voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:32		
5	BRS	13	current with suppl\$3 with measurement\$1 and integrated with circuit and impedance with voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:46		
6	BRS	1	"4739252".PN.	USPAT	2003/06/20 17:38		
7	BRS	1	"4109213".PN.	USPAT	2003/06/20 17:39		
8	BRS	1	"3648175".PN.	USPAT	2003/06/20 17:39		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiton
9	BRS	247	current with suppl\$3 with convert\$3 and impedance with voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:42		
10	BRS	11	current with suppl\$3 with convert\$3 and impedance with compar\$5 with voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:44		
11	BRS	11	current with suppl\$3 with convert\$3 and compar\$5 with voltage with drop\$1 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:45		
12	BRS	100	driver with circuit\$2 with current with measurement\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:47		
13	BRS	23	driver with circuit\$2 with current with measurement\$1 and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:48		
14	BRS	1	driver\$1 with circuit\$2 with current with precision with measurement\$1 and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:50		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiton
15	BRS	38	circuit\$2 with current with precision with measurement\$1 and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 17:50		
16	BRS	7	circuit\$2 with current with precision with measurement\$1 and voltage with drop\$1 and a/d with convert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:13		
17	BRS	5382	driver adj1 circuitry	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:14		
18	BRS	0	driver adj1 circuitry with current with measurement\$1 with precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:15		
19	BRS	2	driver adj1 circuitry with current with measurement\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:17		
20	BRS	606	driver adj1 circuitry with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:17		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
21	BRS	27	driver adjl circuitry with voltage with measurement\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/20 18:18		
22	BRS	7496	voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:31		
23	BRS	126	precise\$3 with suppl\$3 and voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:33		
24	BRS	40	precise\$3 with current with suppl\$3 and voltage with drop with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:34		
25	BRS	23	precise\$3 with current with suppl\$3 and voltage with drop with reference with voltage and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:24		
26	BRS	2	precise\$3 with current with suppl\$3 and voltage with drop with reference with voltage and integrated with circuit\$1 and convert\$3 with analog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 11:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio n
27	BRS	15	precise\$3 with current with suppl\$3 and voltage with drop with reference with voltage and integrated with circuit\$1 and convert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:09		
28	BRS	8	4893030.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:09		
29	BRS	1	4893030.uref. and precis\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:10		
30	BRS	3	(accurate or precise\$3) with suppl\$3 with current and voltage with drop with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:27		
31	BRS	2	precise\$3 with current with suppl\$3 and voltage with drop with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 12:30		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
32	BRS	16	precise\$3 with current and voltage with drop with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:29		
33	BRS	21	(accurate or precise\$3) with current and voltage with drop with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:35		
34	BRS	8	4893030.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:18		
35	BRS	9	(accurate or precise\$3) with current and voltage with drop and reference with voltage with terminat\$3 with (imped\$4 or resist\$4) and integrated with circuit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 14:37		
36	BRS	17	5495184.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:03		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
37 BRS	2	current with measurement\$1 and (accurate or precis\$3) with external with resistor\$1 with reference with voltage and (driver or integrated) with circuit\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:34		
38 BRS	0	5418488.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:18		
39 BRS	1	"5180927".PN.	USPAT	2003/06/21 15:18		
40 BRS	1	"4940930".PN.	USPAT	2003/06/21 15:18		
41 BRS	1	"4894562".PN.	USPAT	2003/06/21 15:18		
42 BRS	1	"4082998".PN.	USPAT	2003/06/21 15:18		
43 BRS	47	current with measurement\$1 and (accurate or precis\$3) with resistor\$1 with reference with voltage and (driver or integrated) with circuit\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:20		
44 BRS	3	current with measur\$5 and (accurate or precis\$3) with external with resistor\$1 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:52		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
45	BRS	0	current with measur\$5 and (accurate or precis\$3) with modul\$3 with resistor\$1 and external with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/21 15:54		
46	BRS	8	current with measur\$5 and (accurate or precis\$3) with modul\$3 with resistor\$1 and reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:04		
47	BRS	766	(measur\$3 or determin\$5) with current and voltage with drop\$1 with (impedan\$3 or resistor\$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:07		
48	BRS	43	(measur\$3 or determin\$5) with current with (IC\$1 or (integrated adj1 circuit\$2)) and voltage with drop\$1 with (impedan\$3 or resistor\$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:23		



	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definitio
49	BRS	2	(measure\$3 or determine\$5) with current with (precide or accur\$3) with (IC\$1 or (integrated adj1 circuit\$2)) and voltage with drop\$1 with (impedan\$3 or resistor\$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:23		
50	BRS	16	current with (precis\$3 or accur\$3) with (IC\$1 or (integrated adj1 circuit\$2)) and voltage with drop\$1 with (impedan\$3 or resistor\$1) with (reference adj1 voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:25		
51	BRS	35	(accurat\$3 or precise\$3) with current and voltage with drop\$1 with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and (ic\$1 or (integrated with circuit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 10:41		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definit on
		(accurat\$3 or precis\$3) with current and voltage with drop\$1 with reference with voltage and terminat\$3 with (imped\$4 or resist\$4) and (ic\$1 or (integrated with circuit\$1)) and ratio and different\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:32		
52 BRS	22					
		(determin\$5 or measur\$3) with current and voltage with drop\$1 with reference with voltage and precis\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:19		
53 BRS	46					
		(determin\$5 or measur\$3) with current with voltage with drop\$1 with reference with voltage with precis\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:17		
54 BRS	0					
		(determin\$5 or measur\$3) with current with voltage with drop\$1 with reference with voltage and precis\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:17		
55 BRS	7					
		(determin\$5 or measur\$3) with current with voltage with drop\$1 with reference with voltage and precis\$3 with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:17		
		(determin\$5 or measur\$3) with current and voltage with drop\$1 and reference with voltage with precis\$3 with (resist\$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:21		
56 BRS	255					

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiton
57	BRS	11	(determin\$5 or measur\$3) with current and voltage with drop\$1 and reference with voltage with terminat\$3 with precis\$3 with (resist\$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 11:58		
58	BRS	5	(precis\$3 or accurat\$2) with (determin\$5 or measur\$3) with current and voltage with drop\$1 and reference with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:04		
59	BRS	3	(determin\$5 or measur\$3) with current and voltage with drop\$1 and (precis\$3 or accurate) with reference with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:05		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
60	BRS	2	(determin\$5 or measur\$3) with current with (ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 and (precis\$3 or accurate) with reference with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:08		
61	BRS	3	(determin\$5 or measur\$3) with current and (ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 and (precis\$3 or accurate) with reference with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:09		
62	BRS	1	(ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 with (precis\$3 or accurate) with reference with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:11		
63	BRS	1	"5180927".PN.	USPAT	2003/06/22 12:10		
64	BRS	1	"4940930".PN.	USPAT	2003/06/22 12:11		

	Type	Hits	Search Text	DBs	Tim Stamp	Comments	Error Definiton
65	BRS 1		(ic\$1 or (integrated adj circuit\$2) ) and voltage with drop\$1 with (precis\$3 or accurate) with (predetermined or reference) with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 12:12 IBM_TDB			
66	BRS 1		voltage with drop\$1 with (precis\$3 or accurate) with (predetermined or reference) with voltage with ((terminat\$3 adj impedance) or (external\$2 adj resistor))	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 12:12 IBM_TDB			
67	BRS 3		voltage with drop\$1 with (precis\$3 or accurate) with (predetermined or reference) with voltage with ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 12:13 IBM_TDB			
68	BRS 267		voltage with drop\$1 and (precis\$3 or accurate) with (predetermined or reference) with voltage and ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 12:15 IBM_TDB			

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
69 BRS	202	(ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 and (precis\$3 or accurate) with (predetermined or reference) with voltage and ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:15		
70 BRS	17	(ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 and (precis\$3 or accurate) with (predetermined or reference) with voltage with ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:22		
71 BRS	3	5705953.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:27		
72 IS&R	2	("5705953").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:27		
73 BRS	1	"5329249".PN.	USPAT	2003/06/22 12:44		

	Typ	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
74	BRS	625	(ic\$1 or (integrated adj circuit\$2)) and (predetermined or reference) with voltage with ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:53		
75	BRS	10	(ic\$1 or (integrated adj circuit\$2)) and (predetermined or reference) with voltage with (accurat\$3 or precise\$3) with ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 12:53		
76	BRS	3	(ic\$1 or (integrated adj circuit\$2)) and voltage with drop\$1 with (precis\$3 or accurate) with (predetermined or reference) with voltage with ((terminat\$3 with impedance) or (external\$2 with resistor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:22		
77	BRS	1513	(ratio or divid\$3) with first with second with impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:34		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
78	BRS	12	(ratio or divid\$3) adj first adj second adj impedance and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:41		
79	BRS	75	(ratio or divid\$3) adj first adj second adj (resist\$4 or impedance) and voltage with drop\$1 not ((ratio or divid\$3) adj first adj second adj impedance and voltage with drop\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:09		
80	IS&R	1	("6522083").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:55		
81	IS&R	2	("6129256").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 14:55		
82	BRS	0	modulation adj impedance with termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:42		



Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
83 BRS	0	modulat\$3 adj (resist\$4 or impedance) with termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:43		
84 BRS	1	modulat\$3 adj (resist\$4 or impedance) and termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:45		
85 BRS	874	modulat\$3 adj (resist\$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:45		
86 BRS	18	modulat\$3 adj (resist\$4 or impedance) and (external or termination) adj (resist\$4 or impedance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:46		
87 BRS	12	modulat\$3 adj (resist\$4 or impedance) and (external or termination) adj (resist\$4 or impedance) and reference with (current or voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 15:47		
88 BRS	8150	compar\$4 with first with (impedance or resist\$4) with second with (impedance or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/22 16:11		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
			compar\$4 with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) and reference adj (voltage or current)	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 16:14 IBM_TDB			
	89 BRS	1433	compar\$4 with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) and reference adj (voltage or current)	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 16:15 IBM_TDB			
	90 BRS	234	compar\$4 with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current)	USPAT; US-PGPUB; EPO; 2003/06/22 JPO; DERWENT; 16:15 IBM_TDB			
	91 BRS	116	compar\$4 with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current) and voltage with drop\$1	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 12:06 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definit on
92	BRS	213	(different\$5 or compar\$4) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current) and voltage with drop\$1	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 08:52 IBM_TDB			Truncati on overflow
93	BRS	214	(different\$5 or compar\$4) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current) and voltage with drop\$1	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 08:54 IBM_TDB			
94	BRS	41	(different\$5 or compar\$4) with first with (impedance or resist\$4) with second with (impedance or resist\$4) with reference adj (voltage or current) with voltage with drop\$1 and ((integrated adj circuit\$2) or ic\$1)	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 09:08 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiton
95	BRS	47	modulation with resistor with load and current with (difference or different or differentiated or differentiated)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:19		
96	BRS	3	termination with impedance with reference with voltage with drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:20		
97	BRS	530	terminat\$3 with (resist\$4 or impedance) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:41		
98	BRS	22	terminat\$3 with (resist\$4 or impedance) with reference with voltage with drop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:22		
99	BRS	1	"6157206".PN.	USPAT	2003/06/23 09:35		
100	BRS	1	"6026456".PN.	USPAT	2003/06/23 09:37		
101	BRS	1	"5523703".PN.	USPAT	2003/06/23 09:37		
102	BRS	1	"4370526".PN.	USPAT	2003/06/23 09:37		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
103 BRS	23	terminat\$3 with (resist\$4 or impedance) with reference with voltage with (precis\$3 or accura\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 09:42		
104 BRS	2509	702/57,64,69,81,84,189,190 ,191,193,for.103,for.104,f or.105,for.106,for.155,for .160.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:23		
105 BRS	2439	330/267,268,288,290,296.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:44		
106 BRS	1793	327/538,540,547.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:35		
107 BRS	2183	323/312,313,314,315,317.cc ls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:36		
108 BRS	88	363/73.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
109	BRS	651	307/15,16,18-22.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 10:38		
110	IS&R	2	("6518833").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 11:44		
111	BRS	194	(ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current) and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:19		
112	BRS	1	(ratio or differen\$6) adj first adj(impedance or resist\$4) adj second adj (impedance or resist\$4) and ((integrated adj circuit\$2) or ic\$1) with reference adj (voltage or current) and voltage with drop\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 12:45		

Type	Hits	Search Text	DBs	Tim Stamp	Comments	Error Definiti on
113 BRS 0		(ratio or differen\$6) adj first adj (impedance or resist\$4) adj second adj (impedance or resist\$4) and precis\$3 with terminat\$3 with (resist\$4 or imped\$4) with reference adj (voltage or current)	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 12:58 IBM_TDB			
114 BRS 0		radio adj modulat\$3 adj (resist\$4 or imped\$4) adj sensing adj (resist\$4 or imped\$4)	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 12:58 IBM_TDB			
115 BRS 0		radio adj modulat\$3 adj (resist\$4 or imped\$4)	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 12:58 IBM_TDB			
116 BRS 0		ratio adj modulat\$3 adj (resist\$4 or imped\$4) adj sensing adj (resist\$4 or imped\$4)	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 12:58 IBM_TDB			
117 BRS 2		(ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and measur\$4 with current with (precis\$3 or accurate) with integrated with circuit\$2	USPAT; US-PGPUB; EPO; 2003/06/23 JPO; DERWENT; 13:23 IBM_TDB			

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
118	BRS	59	(ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and measur\$4 with current with integrated with circuit\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:27		
119	BRS	37	(ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) and measur\$4 with current with integrated with circuit\$2 and reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:45		
120	BRS	2357	(ratio or differen\$6) with first with (impedance or resist\$4) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 13:52		
121	BRS	1	(divid\$3 or ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) with reference with voltage with measur\$3 with (precis\$3 or accura\$2) with current and ((integrated adj circuit\$2) or ic\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:07		



Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
122 BRS	87	(divid\$3 or ratio or differen\$6) with first with (impedance or resist\$4) with second with (impedance or resist\$4) with reference with voltage with measur\$3 with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:01		
123 BRS	7	(divid\$3 or ratio or differen\$6) with (impedance or resist\$4) with reference with voltage with measur\$3 with (precis\$3 or accura\$2) with current and ((integrated adj circuit\$2) or ic\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:15		
124 BRS	0	(divid\$3 or ratio or differen\$6) adj(impedance or resist\$4) adj reference adj voltage and measur\$3 with (precis\$3 or accura\$2) with current and ((integrated adj circuit\$2) or ic\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:21		
125 BRS	0	(divid\$3 or ratio or differen\$6) adj (impedance or resist\$4) adj reference adj voltage and measur\$3 with (precis\$3 or accura\$2) with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:20		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
126 BRS	27	(divid\$3 or ratio or differen\$6) adj(impedance or resist\$4) adj reference adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:42		
127 BRS	6	(determin\$3 or measur\$4) with current with ((integrated adj1 circuit\$2) or ic\$1) and modulat\$3 adj (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 14:49		
128 IS&R	2	("5451903").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:23		
129 BRS	0	precis\$3 with (resist\$4 or imped\$4) with sink\$3 with trim\$3 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:26		
130 BRS	6	precis\$3 with (resist\$4 or imped\$4) with sink\$3 with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:33		
131 BRS	126	terminat\$3 with (imped\$4 or resist\$4) with precision	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:39		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
132 BRS	1	terminat\$3 with (imped\$4 or resist\$4) with precision with sink\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:37		
133 IS&R	2	("5687330").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:37		
134 BRS	0	terminat\$3 adj (imped\$4 or resist\$4) adj precision adj resist\$4 and sink\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:50		
135 BRS	22	terminat\$3 with (imped\$4 or resist\$4) with precision and sink\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:41		
136 BRS	0	terminat\$3 adj (imped\$4 or resist\$4) adj precision adj resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:51		
137 BRS	0	terminat\$3 adj (imped\$4 or resist\$4) adj precision adj (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:51		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
138 BRS	0	terminat\$3 adj (imped\$4 or resist\$4) adj precis\$3 adj (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:52		
139 BRS	409	terminat\$3 with (imped\$4 or resist\$4) with (accura\$2 or precis\$3) with (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:53		
140 BRS	164	terminat\$3 adj (imped\$4 or resist\$4) with (accura\$2 or precis\$3) with (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 15:53		
141 BRS	18	terminat\$3 adj (imped\$4 or resist\$4) with (accura\$2 or precis\$3) adj (imped\$4 or resist\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:01		
142 BRS	1	precision adj termination adj impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:03		
143 BRS	0	precis\$3 adj terminat\$3 adj (imped\$4 or resist\$4) with reference adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:10		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definiti on
144	BRS	22	precis\$3 with terminat\$3 with (imped\$4 or resist\$4) with reference with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:54		
145	IS&R	2	("5818292").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:38		
146	IS&R	2	("5451903").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:39		
147	BRS	1	internal with precis\$3 with terminat\$3 with (imped\$4 or resist\$4) with reference.with voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 16:59		
148	BRS	22	(A/D or (analog adj digital)) with trim\$4 with voltage with reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/23 17:00		